



COLOR CHART FLOORING SYSTEM

**Sikafloor[®]-263 SL HC / 264 HC
/ 374 CP SL**

Sikafloor[®]-21 ID / 40 ID

BUILDING TRUST



Color chart Sikafloor® -263 SL HC / 264 HC / 374 CP SL



Epoxy Product Range - 1001



Epoxy Product Range - 1013



Epoxy Product Range - 1021



Epoxy Product Range - 3000



Epoxy Product Range - 3020



Epoxy Product Range - 5012



Epoxy Product Range - 5024



Epoxy Product Range - 6011



Epoxy Product Range - 1003



Epoxy Product Range - 1015



Epoxy Product Range - 1023



Epoxy Product Range - 3001



Epoxy Product Range - 5009



Epoxy Product Range - 5015



Epoxy Product Range - 6010



Epoxy Product Range - 6018

* Untuk lebih detail, mohon mengacu pada sample warna yang asli.



Epoxy Product Range - 7030




Epoxy Product Range - 7035




Epoxy Product Range - 7040




Epoxy Product Range - 7047



Epoxy Product Range - 9002



Epoxy Product Range - 9010



Epoxy Product Range - 9016




Epoxy Product Range - 7032




Epoxy Product Range - 7037



Epoxy Product Range - 7042



Epoxy Product Range - 9001



Epoxy Product Range - 9003




Epoxy Product Range - 9011

** Untuk lebih detail, mohon mengacu pada sample warna yang asli.*

Color chart Sikafloor®-21 ID / 40 ID



Sikafloor®-21 ID / 40 ID Cream



Sikafloor®-21 ID / 40 ID Green



Sikafloor®-21 ID / 40 ID Grey



Sikafloor®-21 ID / 40 ID Light Grey



Sikafloor®-21 ID / 40 ID Red



Sikafloor®-21 ID / 40 ID Blue

* Untuk lebih detail, mohon mengacu pada sample warna yang asli.

SIKA FULL RANGE SOLUTIONS FOR CONSTRUCTION:



WATERPROOFING



CONCRETE



REFURBISHMENT



DISTRIBUTION



SEALING AND BONDING



FLOORING



ROOFING



INDUSTRY

*Because of the limitations of process color printing, the color samples contained herein are close approximations of actual colors and should not be relied upon for true color. Colors show approximate tone without any texture. Color matching should be made with an actual sample of the product, color and texture to be used. Gloss level will vary depending on product used, and make final approval from job site mock up.



Our most current General Sales Conditions shall apply
Please consult the most current local Product Data Sheet prior to any uses

PT. Sika Indonesia
Jl. Raya Cibinong - Bekasi Km.20
Limununggal - Cileungsi
Bogor 16820 - Indonesia

Contact
Customer Service : 0800 - 140 - 1236
Phone : +62 21 8230025 | Fax : +62 21 8230026
idn.sika.com | sikacare@id.sika.com



BUILDING TRUST

